


Milwaukee Pump DP80 Series Replacement Parts



Milwaukee Pump




Power End



© 2013 Milwaukee Pump Co.

Ref.	Description	Qty	FE Myers #	MP#
1	Case Gear	1	04625E001	MP4625E1
2	Gasket Lid	1	06201C000	MP6201C
3	Screw for Lid	8	19100A005 [Ⓐ]	MP19100A5
4	Lid	1	04561B000	MP4561B
5	Nipple Special Vent	1	17995A000	MP17995A
5A	Cap Pipe	1	05737A002	MP5737A2
6	Dip Stick w/O-Ring	1	17360A011K	MP17360A11
7	O-Ring for Dip Stick	1	05876A063K	MP5876A63
8	Shaft Pinion	1	20164B020K [Ⓑ]	MP20164B020
8A	Spacer	1	20164B022A [Ⓒ]	MP20164B022A
8B	Shim Green .003	4	05231A074	MP5231A74
8C	Shim Pink .015	4	05231A075	MP5231A75
9	Cone Bearing Pinion	2	05674A013	MP5674A13
9A	Cup Bearing Pinion	2	05675A009	MP5675A9
10	Cap Open	1	04563A001	MP4563A1
11	Cap Closed	1	04741B001	MP4741B1
12	Oil Seal	1	05170A017	MP5710A17
13	Screw Pinion & Crank Cap	18	19101A013	MP19101A13
14	Washer Seal	18	14946A003	MP14946A3
15	Crankshaft - 75 Teeth	1	20355C022K [Ⓓ]	MP20355C022
16	Cone Bearing Crank	2	05674A018	MP5674A18
16A	Cup Bearing Crank	2	05675A013	MP5675A13
17	Cap Bearing	2	04624B004	MP4624B4
17A	O-Ring 5" ID for Bearing Caps	2	05876A098	MP5876A98
18	Shim Green .003	6	05068A018	MP5068A18
18A	Shim Pink .015	6	05068A016	MP5068A16
32	Magnetic Plug Oil Drain	1	17481A002	MP17481A2
33	Screw Cap 3/4"-10	4	06106A038	MP6106A38
34	Lock Washer	4	05454A003	MP5454A3
35	Screw Cap 5/8"-11	4	19105A008	MP19105A8
57	Allen Screw	2	06106A034	MP6106A34
58	Baffle Drip Plate	1	M02554B000	MPM2554B000


Water End



© 2013 Milwaukee Pump Co.

Ref.	Description	Qty	FE Myers #	MP#
36	Fluid End Body A (L.P.)	1	24961F000	MP24961F000
37	Cap for Discharge and Suction Valve	6	24797A000	MP24797A
38	O-Ring	6	05876A168	MP5876A168
39	Back Up Ring	6	18753A007	MP18753A7
41	Plunger Coated (2 1/8" o.d.)	3	24798B022	MP24798B22
45	Discharge Valve Assy	3		MP2479000
46	Suction Valve Assy	3		MP2479001
47	Discharge Valve Seat F.E.A.	3	24796A001	MP24796A1
48	Valve Delrin®	6	18834A003	MP18834A3
49	Spring-Discharge Valve	3	11829A001	MP11829A1
50	Retainer Spring	6	18833A001	MP18833A1
51	Cap Screw Thread Lock	6	18832A002	MP18832A2
52	Suction Valve Seat F.E.A.	3	24796A000	MP24796A
53	Suction Valve Spring	3	11829A000	MP11829A
55	Plug 1" Pipe	3	05022A043	MP5022A43
56	Plug 3" Pipe	3	03210A000	MP3210A
59	Screw Fluid End Lid	2	05028A002	MP5028A2
60	Washer Fluid End Lid	2	05030A020	MP5030A20
61	Lid-Cylinder Area of Fluid End	1	M01520A000	MPM1520A

Connecting Rods



© 2013 Milwaukee Pump Co.

Ref.	Description	Qty	FE Myers #	MP#
19	Crosshead	3	24956B000	MP24956B
20	Ductile Iron Link (Bushing Installed)	3	17042C002	MP17042C2
21	Bushing	3	B01619A000K [Ⓔ]	MPB1619A
22	Screw for Link Half	6	016171A010 [Ⓕ]	MP19103A16
22A	Lock Washer for Link Half	6	05454A004	MP5454A4
23	Bearing Two Halves Standard	3	15245A101K [Ⓖ]	MP15245A101
24	Wrist Pin	3	M01525A001	MPM1525A1
25	Retainer Oil Seal	3	24958A000	MP24958A
26	Oil Seal two per housing	6	22835A003	MP22835A3
27	Housing Oil Seal	3	24959A000	MP24959A
28	Allen Screw	6	06106A034	MP6106A34
29	Gasket Retainer Housing	3	05059A058	MP5059A58
30	Circle Spring (Wavy)	3	M1643A000	MPM1643A
31	Gasket Oil Seal Housing	3	05059A434	MP5059A434
40	Spring - Packing	3	24799A001	MP24799A1
41	Plunger Coated (2 1/8" o.d.)	3	24798B022	MP24798B22
42	Washer Spring (2 1/8" o.d.)	3	24955A002	MP24955A2
43	Ring-Seal Back	3	24954A002	MP24954A2
44	Packing (2 1/8" o.d.)	3	24962A003	MP24962A3
54	Oil Slinger Washer	3	05059A263	MP5059A263

(A) Same as #19100A033

(B) Old #20164B000 14° Pitch

(C) Old #20164B002A

(D) Old #203556010 14° Pitch

(E) Same as #B01619A001

(F) New #19103A016

(G) Old #15245A002

*NOTE: In 1998 the crankshaft and pinion gear pitch for this pump was changed from 14 degrees to 22 degrees. Therefore a new crankshaft or pinion will not mesh with the same components manufactured before 1998. Both components must be 22 degrees pitch to work correctly.



Milwaukee Pump Co. • P.O. Box 226 • Butler, WI 53007 • 419-651-1500 • www.milwaukeepump.com